

# Environment Protection Licence Monitoring Data

Project name:	WestConnex – New M5	
Licensee	CPB Contractors Pty Limited	
Monitoring period	April 2018	
Website:	<a href="https://www.westconnex.com.au/NewM5Environment">https://www.westconnex.com.au/NewM5Environment</a>	
Environment Protection licence number/s:	20772	4627
Premise addresses	WestConnex New M5, between Beverly Hills and St Peters, Beverly Hills NSW 2209	New M5 St Peters Interchange, 10-16 Albert Street, St Peters NSW 2044

## Monitoring Type: Water Discharge Monitoring

Discharge/Monitoring Point	Date sampled	Total suspended solids		pH		Oil & Grease		Monitoring frequency	Comment
		Licence limit	Result	Licence limit	Result	Licence limit	Result		
Water Treatment Plant ARN-2	1/04/2018	50	*8.1	6.5-8.5	6.99	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	1/04/2018	50	*1.38	6.5-8.5	6.91	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	1/04/2018	50	*20	6.5-8.5	7.44	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	2/04/2018	50	*7.2	6.5-8.5	7.29	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	2/04/2018	50	*0.63	6.5-8.5	7.14	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	2/04/2018	50	*10	6.5-8.5	7.39	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	3/04/2018	50	*6.4	6.5-8.5	7.85	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	3/04/2018	50	*1.13	6.5-8.5	7.44	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	3/04/2018	50	*7	6.5-8.5	7.32	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	4/04/2018	50	*3.9	6.5-8.5	7.76	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	4/04/2018	50	*0.85	6.5-8.5	6.89	None visible	None	Each discharge	Compliant

# Environment Protection Licence Monitoring Data

Discharge/Monitoring Point	Date sampled	Total suspended solids		pH		Oil & Grease		Monitoring frequency	Comment
		Licence limit	Result	Licence limit	Result	Licence limit	Result		
Water Treatment Plant KGD-1	4/04/2018	50	*8.1	6.5-8.5	8.1	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	4/04/2018	50	*<10	6.5-8.5	7.5	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	5/04/2018	50	*3.52	6.5-8.5	7.68	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	5/04/2018	50	*1.23	6.5-8.5	6.68	None visible	None	Each discharge	Compliant
Water Treatment Plant KGD-1	5/04/2018	50	*6.3	6.5-8.5	7	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	5/04/2018	50	*<10	6.5-8.5	7.7	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	6/04/2018	50	*3.80	6.5-8.5	7.27	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	6/04/2018	50	*1.31	6.5-8.5	7.3	None visible	None	Each discharge	Compliant
Water Treatment Plant KGD-1	6/04/2018	50	*3.9	6.5-8.5	7.5	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	6/04/2018	50	*<10	6.5-8.5	7.7	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	7/04/2018	50	*2.1	6.5-8.5	7.24	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	7/04/2018	50	*2.83	6.5-8.5	6.9	None visible	None	Each discharge	Compliant
Water Treatment Plant KGD-1	7/04/2018	50	*7.2	6.5-8.5	7.7	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	7/04/2018	50	*<10	6.5-8.5	7.6	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	8/04/2018	50	*4.3	6.5-8.5	7.12	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	8/04/2018	50	*1.57	6.5-8.5	6.94	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	8/04/2018	50	*<10	6.5-8.5	7.9	None visible	None	Each discharge	Compliant

# Environment Protection Licence Monitoring Data

Discharge/Monitoring Point	Date sampled	Total suspended solids		pH		Oil & Grease		Monitoring frequency	Comment
		Licence limit	Result	Licence limit	Result	Licence limit	Result		
Water Treatment Plant ARN-2	9/04/2018	50	*2.5	6.5-8.5	7.96	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	9/04/2018	50	*12.42	6.5-8.5	6.97	None visible	None	Each discharge	Compliant
Water Treatment Plant KGD-1	9/04/2018	50	*1.9	6.5-8.5	8.3	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	9/04/2018	50	*<10	6.5-8.5	7.4	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	10/04/2018	50	*3.75	6.5-8.5	7.12	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	10/04/2018	50	*3.77	6.5-8.5	6.98	None visible	None	Each discharge	Compliant
Water Treatment Plant KGD-1	10/04/2018	50	*2.0	6.5-8.5	8.4	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	10/04/2018	50	*10	6.5-8.5	7.61	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	11/04/2018	50	*15.53	6.5-8.5	7.37	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	11/04/2018	50	*0.88	6.5-8.5	7.28	None visible	None	Each discharge	Compliant
Water Treatment Plant KGD-1	11/04/2018	50	*6.1	6.5-8.5	7.9	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	11/04/2018	50	*<10	6.5-8.5	7.5	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	12/04/2018	50	*12.75	6.5-8.5	7.51	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	12/04/2018	50	*1.25	6.5-8.5	7	None visible	None	Each discharge	Compliant
Water Treatment Plant KGD-1	12/04/2018	50	*8.1	6.5-8.5	7.7	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	12/04/2018	50	*<10	6.5-8.5	7.27	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	13/04/2018	50	*2.20	6.5-8.5	7.28	None visible	None	Each discharge	Compliant

# Environment Protection Licence Monitoring Data

Discharge/Monitoring Point	Date sampled	Total suspended solids		pH		Oil & Grease		Monitoring frequency	Comment
		Licence limit	Result	Licence limit	Result	Licence limit	Result		
Water Treatment Plant BED-1	13/04/2018	50	*2.20	6.5-8.5	6.87	None visible	None	Each discharge	Compliant
Water Treatment Plant KGD-1	13/04/2018	50	*3.0	6.5-8.5	7.7	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	13/04/2018	50	*<10	6.5-8.5	7.35	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	14/04/2018	50	*6.60	6.5-8.5	7.46	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	14/04/2018	50	*2.00	6.5-8.5	6.95	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	14/04/2018	50	*10	6.5-8.5	7.4	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	15/04/2018	50	*7.30	6.5-8.5	7.61	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	15/04/2018	50	*2.20	6.5-8.5	7.18	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	15/04/2018	50	*10	6.5-8.5	7.2	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	16/04/2018	50	*7.30	6.5-8.5	7.3	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	16/04/2018	50	*1.43	6.5-8.5	7.15	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	16/04/2018	50	*10	6.5-8.5	6.9	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	17/04/2018	50	*3.45	6.5-8.5	7.85	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	17/04/2018	50	*1.69	6.5-8.5	7.1	None visible	None	Each discharge	Compliant
Water Treatment Plant KGD-1	17/04/2018	50	*5.2	6.5-8.5	8.1	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	17/04/2018	50	*<10	6.5-8.5	7.2	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	18/04/2018	50	*2.90	6.5-8.5	7.48	None visible	None	Each discharge	Compliant

# Environment Protection Licence Monitoring Data

Discharge/Monitoring Point	Date sampled	Total suspended solids		pH		Oil & Grease		Monitoring frequency	Comment
		Licence limit	Result	Licence limit	Result	Licence limit	Result		
Water Treatment Plant BED-1	18/04/2018	50	*1.99	6.5-8.5	6.96	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	18/04/2018	50	*<10	6.5-8.5	7	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	19/04/2018	50	*4.29	6.5-8.5	7.29	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	19/04/2018	50	*2.63	6.5-8.5	7.02	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	19/04/2018	50	*<10	6.5-8.5	7	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	20/04/2018	50	*3.4	6.5-8.5	7.05	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	20/04/2018	50	*1.38	6.5-8.5	7.06	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	20/04/2018	50	*<10	6.5-8.5	6.92	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	21/04/2018	50	*6.9	6.5-8.5	7.48	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	21/04/2018	50	*3.30	6.5-8.5	6.97	None visible	None	Each discharge	Compliant
Water Treatment Plant KGD-1	21/04/2018	50	*5.4	6.5-8.5	7.5	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	21/04/2018	50	*<10	6.5-8.5	7.21	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	22/04/2018	50	*4.8	6.5-8.5	7.68	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	22/04/2018	50	*2.52	6.5-8.5	6.97	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	22/04/2018	50	*<10	6.5-8.5	7.8	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	23/04/2018	50	*4.2	6.5-8.5	7.88	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	23/04/2018	50	*0.63	6.5-8.5	7.09	None visible	None	Each discharge	Compliant

# Environment Protection Licence Monitoring Data

Discharge/Monitoring Point	Date sampled	Total suspended solids		pH		Oil & Grease		Monitoring frequency	Comment
		Licence limit	Result	Licence limit	Result	Licence limit	Result		
Water Treatment Plant KGD-1	23/04/2018	50	*2.4	6.5-8.5	8.2	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	23/04/2018	50	*<10	6.5-8.5	6.67	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	24/04/2018	50	*4.5	6.5-8.5	7.26	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	24/04/2018	50	*1.65	6.5-8.5	6.89	None visible	None	Each discharge	Compliant
Water Treatment Plant KGD-1	24/04/2018	50	*2.6	6.5-8.5	7.3	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	24/04/2018	50	*<10	6.5-8.5	7.18	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	25/04/2018	50	*3.6	6.5-8.5	7.3	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	25/04/2018	50	*2.68	6.5-8.5	7.12	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	25/04/2018	50	*15	6.5-8.5	7.7	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	26/04/2018	50	*5.3	6.5-8.5	7.19	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	26/04/2018	50	*2.3	6.5-8.5	7.01	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	26/04/2018	50	*10	6.5-8.5	7.5	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	27/04/2018	50	*4.17	6.5-8.5	7.11	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	27/04/2018	50	*3.30	6.5-8.5	6.94	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	27/04/2018	50	*15	6.5-8.5	7.7	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	28/04/2018	50	*11.6	6.5-8.5	7.3	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	28/04/2018	50	*3.35	6.5-8.5	6.97	None visible	None	Each discharge	Compliant

## Environment Protection Licence Monitoring Data

Discharge/Monitoring Point	Date sampled	Total suspended solids		pH		Oil & Grease		Monitoring frequency	Comment
		Licence limit	Result	Licence limit	Result	Licence limit	Result		
Water Treatment Plant SPI-2	28/04/2018	50	*10	6.5-8.5	7.2	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	29/04/2018	50	*7.4	6.5-8.5	7.68	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	29/04/2018	50	*6.66	6.5-8.5	7.1	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	29/04/2018	50	*10	6.5-8.5	7.7	None visible	None	Each discharge	Compliant
Water Treatment Plant ARN-2	30/04/2018	50	*5.1	6.5-8.5	7.12	None visible	None	Each discharge	Compliant
Water Treatment Plant BED-1	30/04/2018	50	*3.95	6.5-8.5	7.26	None visible	None	Each discharge	Compliant
Water Treatment Plant SPI-2	30/04/2018	50	*10	6.5-8.5	7.5	None visible	None	Each discharge	Compliant

\* A correlation between TSS and Turbidity has been established. Including a safety factor, the turbidity limit is 50NTU.

# Environment Protection Licence Monitoring Data



Monitoring Type:

Dust Monitoring (EPL 4627)

Monitoring Point / EPA Identification point (EPL 4627)	Start Date	Finish Date	Dust Deposition g/m2/month	Comment
SG01	09/03/2018	10/04/2018	11.1	Current monitoring period
SG02	09/03/2018	10/04/2018	5.4	Current monitoring period
SG03	09/03/2018	10/04/2018	4.2	Current monitoring period
SG04	09/03/2018	10/04/2018	10.3	Current monitoring period



# Environment Protection Licence Monitoring Data

**Monitoring Type: Ground Vibration Peak Particle Velocity monitoring**

Arncliffe Drivers							
Date	Time	Location		Peak Particle Velocity (mm/s)	Licence Limit (mm/s)	Compliant	Comments
3/04/2018	7:47:32 AM	329550.61	6243442.29	2.4	10	Yes	H Section under work site
3/04/2018	9:40:46 AM	329380.29	6243216.87	2.145	10	Yes	Drive 4
3/04/2018	9:40:48 AM	329430.17	6243354.27	5.143	10	Yes	Drive 4
4/04/2018	9:14:57 AM	329550.61	6243442.29	2.7	10	Yes	H Section under work site
7/04/2018	8:03:15 AM	329550.61	6243442.29	1.8	10	Yes	H Section under work site
9/04/2018	8:52:48 AM	329550.61	6243442.29	3.45	10	Yes	H Section under work site
10/04/2018	5:40:11 PM	329550.61	6243442.29	2.45	10	Yes	H Section under work site
12/04/2018	12:39:05 PM	329550.61	6243442.29	4.25	10	Yes	H Section under work site
13/04/2018	10:32:26 AM	329380.29	6243216.87	1.223	10	Yes	Drive 4
13/04/2018	10:32:26 AM	329430.17	6243354.27	1.678	10	Yes	Drive 4
17/04/2018	12:24:46 PM	329550.61	6243442.29	3.6	10	Yes	H Section under work site
18/04/2018	9:20:14 AM	329380.29	6243216.87	3.05	10	Yes	Drive 4
18/04/2018	9:19:20 AM	329430.17	6243354.27	2.883	10	Yes	Drive 4
18/04/2018	10:58:28 AM	329550.61	6243442.29	2.7	10	Yes	H Section under work site
20/04/2018	8:11:08 AM	329550.61	6243442.29	3.8	10	Yes	H Section under work site
20/04/2018	5:32:23 PM	329380.29	6243216.87	3.602	10	Yes	Drive 4

# Environment Protection Licence Monitoring Data

Arncliffe Drivers							
Date	Time	Location		Peak Particle Velocity (mm/s)	Licence Limit (mm/s)	Compliant	Comments
20/04/2018	5:32:24 PM	329430.17	6243354.27	3.267	10	Yes	Drive 4
21/04/2018	8:17:49 AM	329550.61	6243442.29	1.8	10	Yes	H Section under work site
23/04/2018	10:49:49 AM	329550.61	6243442.29	2.15	10	Yes	H Section under work site
24/04/2018	11:20:10 AM	329380.29	6243216.87	3.349	10	Yes	Drive 4
24/04/2018	11:20:12 AM	329430.17	6243354.27	6.484	10	Yes	Drive 4
24/04/2018	1:59:28 PM	329550.61	6243442.29	1.15	10	Yes	H Section under work site
27/04/2018	9:17:15 AM	329550.61	6243442.29	3.25	10	Yes	H Section under work site
28/04/2018	8:03:39 AM	329550.61	6243442.29	3.8	10	Yes	H Section under work site
30/04/2018	10:41:08 AM	329550.61	6243442.29	4.55	10	Yes	H Section under work site
30/04/2018	11:35:08 AM	329380.29	6243216.87	4.366	10	Yes	Drive 4
30/04/2018	11:35:10 AM	329430.17	6243354.27	7.799	10	Yes	Drive 4

# Environment Protection Licence Monitoring Data



St Peters Drivers							
Date	Time	Location		Peak Particle Velocity (mm/s)	Licence Limit (mm/s)	Compliant	Comments
		Northing	Easting				
3/04/2018	11:17	330724.87	6245403.7	9.422	10	Yes	Mainlines
3/04/2018	11:17	330884.87	6245420.82	2.4	10	Yes	Ramps
4/04/2018	10:03	330724.87	6245403.7	6.966	10	Yes	Mainlines
6/04/2018	11:21	330724.87	6245403.7	8.54	10	Yes	Mainlines
7/04/2018	9:53	330724.87	6245403.7	6.463	10	Yes	Mainlines

Environment Protection Licence Monitoring Data



Monitoring Type: Odour Monitoring (EPL 4627)

Date	Monitoring Start Time	Monitoring Finish Time	Surveyor	Wind Direct	Locations															Comments
					OM1			OM2			OM3			OM4			OM5			
					Odour (OU)	H <sub>2</sub> S (ppm)	NH <sub>3</sub> (ppm)	Odour (OU)	H <sub>2</sub> S (ppm)	NH <sub>3</sub> (ppm)	Odour (OU)	H <sub>2</sub> S (ppm)	NH <sub>3</sub> (ppm)	Odour (OU)	H <sub>2</sub> S (ppm)	NH <sub>3</sub> (ppm)	Odour (OU)	H <sub>2</sub> S (ppm)	NH <sub>3</sub> (ppm)	
1/04/2018																				Easter Sunday. No work involving movement or handling of waste was conducted.
2/04/2018																				Easter Monday. No work involving movement or handling of waste was conducted.
3/04/2018	2:29:00 PM	3:09:00 PM	CDSJV	ESE	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
4/04/2018	3:20:00 PM	4:25:00 PM	SEMA	SE-ESE	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
5/04/2018	2:08:00 PM	2:49:00 PM	CDSJV	NE	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
6/04/2018	2:40:00 PM	3:19:00 PM	CDSJV	SE	ND	0	0	ND	0	0	ND	0	0	ND	0	0	502	0	0	At Location OM5 Fragrant (502) was detected
7/04/2018	1:58:00 PM	2:51:00 PM	CDSJV	NE	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
8/04/2018																				No work involving movement or handling of waste was conducted.
9/04/2018	2:23:00 PM	3:09:00 PM	CDSJV	S	ND	0	0	701	0	0	ND	0	0	ND	0	0	ND	0	0	At Location OM2 Fragrant (701) was detected
10/04/2018	2:21:00 PM	3:04:00 PM	CDSJV	E	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
11/04/2018	4:10:00 PM	5:15:00 PM	SEMA	NE	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
12/04/2018	2:06:00 PM	2:47:00 PM	CDSJV	N	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
13/04/2018	1:54:00 PM	2:46:00 PM	CDSJV	N	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
14/04/2018	2:19:00 AM	3:10:00 AM	CDSJV	NW	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
15/04/2018																				No work involving movement or handling of waste was conducted.
16/04/2018	1:52:00 PM	2:38:00 PM	CDSJV	W	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
17/04/2018	3:40:00 PM	4:40:00 PM	SEMA	S-SE	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
18/04/2018	2:10:00 PM	3:03:00 PM	CDSJV	ENE	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
19/04/2018	2:14:00 PM	3:03:00 PM	CDSJV	NE	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
20/04/2018	2:32:00 PM	3:27:00 PM	CDSJV	SSE	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
21/04/2018	1:57:00 PM	2:45:00 PM	CDSJV	S	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
22/04/2018																				No work involving movement or handling of waste was conducted.
23/04/2018	3:55:00 PM	4:50:00 PM	SEMA	ESE	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
24/04/2018	2:49:00 PM	3:47:00 PM	CDSJV	SE	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
25/04/2018																				No work involving movement or handling of waste was conducted.
26/04/2018	2:49:00 PM	3:47:00 PM	CDSJV	SSE	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
27/04/2018	2:10:00 PM	3:13:00 PM	CDSJV	S	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
28/04/2018	1:59:00 PM	2:55:00 PM	CDSJV	S	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.
29/04/2018																				No work involving movement or handling of waste was conducted.
30/04/2018	2:45:00 PM	3:43:00 PM	CDSJV	S	ND	0	0	ND	0	0	ND	0	0	ND	0	0	ND	0	0	No detection at all locations.

<sup>1</sup>ND = Non-detect <sup>2</sup>All monitoring locations are surveyed/ day